

# WAX ON. SPEED UP. NOW!

WAXED CHAINS.  
HOT WAX.  
LIQUID WAX.

INDUSTRY  
PROVED  
SINCE

1893

WAX

12

11

10

NICKEL  
CONNEX LINK  
BLACK

SR<sub>MAX</sub>

12

SRAM FLATTOP  
COMPATIBLE

NICKEL  
CONNEX LINK  
BLACK

SG<sub>MAX</sub>

12

11

BRASS / BLACK  
CONNEX LINK  
BLACK

SB<sub>MAX</sub>

12

11

BLACK / BRASS  
CONNEX LINK  
GOLD



MADE IN  
GERMANY  
SINCE  
1893

# LESS MAINTENANCE.

Cleaner. Faster. Further. With waxed chains.




# MORE FUN.

Wax is the new oil.  
And a small revolution  
in chain care. With  
our environmentally  
friendly WAX products,  
oily and dirty chains are  
a thing of the past.

You've probably experienced it yourself: an oily, sticky chain that attracts dirt like a magnet. Only to release it in the most inconvenient places. On your hands, on your clothes, in the car or at home. Our waxed chains for 10-, 11- and 12-speed gear systems are the efficient, high-performance, low-maintenance alternative. The high-performance wax forms a solid protective layer against dirt and reduces wear. Our special formula with high quality SCA anti-wear additives measurably reduces friction between pins and chain links for a more enjoyable ride. Waxed chains not only deliver more power to the sprockets, they are also easier to care for and maintain.

SYSTEMATIC CARE: HOT AND LIQUID WAX FOR  
MORE PERFORMANCE, LESS MAINTENANCE AND  
LONGER LIFE

To help you get the most out of your waxed high-performance chain, we offer the perfect maintenance system of hot and liquid wax. Our Hot Wax provides a thorough cleaning and builds a dry, dirt-resistant wax layer that effectively protects your chain for up to 500 km. Our Liquid Wax is a complementary, quick and mobile solution for easy maintenance of your chain. It can be applied to the assembled chain with a small dispenser bottle, just like any other lubricant. Thanks to the compatibility of all WAX products, you decide whether it's time for a relaxing wax bath or a quick touch-up with our liquid wax. Goodbye oil, hello wax!



- For all 12-speed systems (except SRAM Flattop)
- Nickel
- 118 links / 268 grams, 126 links / 285 grams
- Connex Link Black included



PREMIUM  
HOT  
WAX





READY  
FOR  
E-BIKE

## 12WAX

Technically designed for maximum athletic performance, the waxed version of this chain further improves shifting performance and power transmission. In addition, the protective wax coating minimizes wear and keeps the chain clean.

### POWER CHART



- For all 12-speed systems (except SRAM Flattop)
- Black Coating, Brass
- 126 links / 285 grams
- Connex Link Gold included



PREMIUM  
HOT  
WAX




READY  
FOR  
E-BIKE

## 12SB WAX

Our expertise from the industrial sector, transferred to your sporting activities with modern 12-speed rear derailleurs: the waxed chain combines a deep black coating with gold pins.


### POWER CHART



# 12SG WAX

A real highlight in terms of both technology and appearance: the 12SG WAX is a gold-colored, waxed 12-speed bicycle chain for sporty use on road bikes and MTBs.



POWER CHART



# 12SR WAX

Do you ride SRAM and are looking for a real alternative to flat-top chains? The Connex 12SR WAX has been precisely developed for modern 12-speed flat-top drivetrains and is now also available hot-waxed.

POWER CHART



- For all 12-speed systems (except SRAM Flattop)
- Brass
- 126 links / 285 grams
- Connex Link Gold included



PREMIUM  
HOT  
WAX



READY  
FOR  
E-BIKE




- SRAM Flattop compatible
- Nickel
- 126 links / 285 grams
- Connex Link Black included



PREMIUM  
HOT  
WAX



READY  
FOR  
E-BIKE




- For all 11-speed systems (except SRAM Flattop)
- Nickel
- 118 links / 268 grams, 126 links / 285 grams
- Connex Link Black included



PREMIUM  
HOT  
WAX



READY  
FOR  
E-BIKE



- For all 11-speed systems (except SRAM Flattop)
- Black Coating, Brass
- 126 links / 285 grams
- Connex Link Gold included



PREMIUM  
HOT  
WAX




READY  
FOR  
E-BIKE

## 11WAX

The waxed version of our high-performance chain is not only impressive in terms of wear and maintenance. It also excels in shifting performance and power output on all types of bikes and derailleur systems.


POWER CHART



## 11SB WAX

Black, strong, extremely durable – now waxed and 100% industry-proven. Ultra-Black Coating – proven thousands of times in the industrial sector – optimal corrosion protection.

POWER CHART



# 11SG WAX

The combination of high-quality brass coating and chain wax results in an elegant look and the highest degree of cleanliness.



POWER CHART



# 10WAX

Robust design combined with our high-performance wax guarantees maximum riding enjoyment through smooth shifting and optimum power transmission. In addition, this chain is extremely wear resistant and easy to maintain.

POWER CHART



- For all 11-speed systems (except SRAM Flattop)
- Brass
- 126 links / 285 grams
- Connex Link Gold included



PREMIUM  
HOT  
WAX



READY  
FOR  
E-BIKE



- For all 10-speed systems
- Nickel
- 116 links / 268 grams
- Connex Link Black included



PREMIUM  
HOT  
WAX



READY  
FOR  
E-BIKE



- With SCA anti-wear additives
- Content: 100ml – PTFE-free
- Minimizes dirt adhesion and wear, with noise-reducing effect
- Ideal for relubricating hot-waxed chains



HOT WAX  
**COMPATIBLE**



- With SCA anti-wear additives
- Content: 375 ± 5 grams – PTFE-free
- Minimizes dirt adhesion and wear, with noise-reducing effect
- Multiple use



LIQUID WAX  
**COMPATIBLE**

## LIQUID WAX


Our liquid wax in the 100 ml dispenser bottle is the quick and mobile solution that makes the maintenance of your chain particularly easy – just like any other lubricant. Compatible with all Connex WAX products.

## HOT WAX

Our Hot Wax provides a thorough cleaning and builds a dry, dirt-resistant wax layer that effectively protects your chain for up to 500 km thanks to the high-quality SCA anti-wear additives. Compatible with all our waxed chains and with Liquid Wax.


# HOT WAX

HOW TO




01

Degrease conventionally lubricated chain. Repeat, if necessary. Observe warnings for degreasing agents!




02

Allow chain to dry thoroughly. Heat wax to 90 °C. Do not heat above 100 °C!




03

Immerse the chain, allowing 2 minutes of exposure at exactly 90 °C after thermal equalization. Reduce temperature to 60 °C until slight skin formation is visible.



04

Remove the chain from the wax. Drain and allow to cool over the wax bath.



05

Allow the waxed chain to cool for at least 2 h, then break the wax on each chain link.



SCAN ME!





More information and products

# SO SIMPLE

Whether for maintenance or for changing the chain – the Connex Link is easy to open and close without any tools!


Over 15 years ago, we invented the legendary Connex Link and to date, there has been no other connector, which can be assembled and disassembled more easily.

Assembly couldn't be easier: Just insert one half of the Connex Link from the front side into the end of the chain that comes from the crankset. Make sure that the embossed number is the right way up. Place the other half from behind in the end of the chain that comes from the derailleur. All you have to do now is to insert the pins from each link into the corresponding receiving holes on the opposite link. There is no need to close the chain firmly. The tension of the chain will securely fasten the link – 100 %.




# EXACTLY MEASURE WEAR ACCURATELY

With the chain wear indicator from Connex, you can see at a glance if the chain needs to be replaced or is still good for further use. The long sides of the tool ensure extremely accurate results. Just position the chain wear indicator on the chain so that the hook on the left drops into a gap between two rollers. Then place the right side of the indicator on top of the chain.



If the hook on the right slides into a space between the rollers with the wear indicator not lying flat on the chain, the chain is still good for use.



If the hook on the right side slides into a space between the rollers with the wear indicator lying flat on the chain, it is time for a new Connex chain.

21 ROLLERS



# WAXED CHAINS FROM THE INVENTOR OF THE LEGENDARY CONNEX LINK

[WWW.CONNEXCHAIN.COM/WAX-EN](http://WWW.CONNEXCHAIN.COM/WAX-EN)

Wippermann jr. GmbH  
Delsterner Str. 133  
58091 Hagen  
Germany

Telephone: +49 2331 - 782 - 0  
Fax: +49 2331 - 782 - 425  
Internet: [www.connexchain.com](http://www.connexchain.com)  
E-Mail: [connex@wippermann.com](mailto:connex@wippermann.com)

